

**Khodiyar**  
**Enterprise**



## **Khodiyar Enterprise**


**Office Add : Sumel 7, Near Soni ni Chal, Odhav,  
Ahmedabad, Gujarat, India. 382415**

**Contact Person : Jaymin Patel**

**Mobile : +91 9925007279, +91 9428111642**

**E-mail : [khodiyar.enterprise@hotmail.com](mailto:khodiyar.enterprise@hotmail.com)**

**Website : [www.keprinters.com](http://www.keprinters.com)**





**Main Feature:**



**Specification**




**Printing Speed**

3PASS	Weak Feather 弱羽化	Normal Feather 中羽化	Strong Feather 强羽化	4PASS	Weak Feather 弱羽化	Normal Feather 中羽化	Strong Feather 强羽化	6PASS	Weak Feather 弱羽化	Normal Feather 中羽化	Strong Feather 强羽化
360X1800	24.5m <sup>2</sup> /h	23.25m <sup>2</sup> /h	19.25m <sup>2</sup> /h	720X1200	18m <sup>2</sup> /h	17m <sup>2</sup> /h	15m <sup>2</sup> /h	720X1800	12.5m <sup>2</sup> /h	11.5m <sup>2</sup> /h	11m <sup>2</sup> /h


<b>Boards&amp; RIP 板卡和软件</b>	Boards(板卡) Password(密码) Rip Software(RIP软件)	●Hoson/BYHX Boards(北京/汉森) Build in Boards & Showing in Software(板卡自带) ●Maintop Rip Software(蒙泰5.3)
<b>Body 机架</b>	Main Girder Structure(主梁支撑) Y-Axis(Y轴) Beam(运动横梁) Linear Guide Way(导轨) Pinch Roller(压轮组件) Printing Bed(打印平台) Suction System(平台吸风) LED light(平台LED)	160*60*3mm Square Tube(160*60*3 方管) 20mm Diameter(20毫米主轴) Metal Beam(钣金横梁) Single linear guide way With One Block(静音导轨) 13 PCS Pinch Roller(13个高精度压轮组件) 144mm Wide Printing Bed(144毫米宽打印平台) Adjustable Vacuum Suction System(可调节吸风) Printing Bed Lighting System(平台LED照明)
<b>Carriage 小车</b>	Belt(皮带) Chain(拖链) Data Cable(主数据线) Power Cable(电源线) Encoder(光栅解码器) Carriage Lifting(升降) Capping(保湿)	Italy MEGADYNE Belt(意大利麦高迪皮带) Chinese Brand Drag Chain(静音拖链) Fiber or Germany Igus Data Cable(光纤或德国IGUS数据线) Germany Igus Power Cable(德国IGUS电源线) 180DPI(9730) Manual type Carriage Lifting System(手动升降小车) Automatic Capping & Wipping system(全自动吸墨和刮墨系统)
<b>Motor 电机</b>	X Motor(X轴电机) Y Motor(Y轴电机) XY Motor Bracket(电机支架)	Leadshine 130W AC Servo Motor (雷赛130瓦直流电机) Leadshine 90W AC Servo Motor (雷赛90瓦直流电机) Metal Brackets(金属支架)
<b>F&amp;T 收放料</b>	Feeding and Take up(收放料) Leveling Stand(防抖地撑)	Single Motor(单动力收放料系统) Leveling Stand(地撑)
<b>Ink Supply 供墨</b>	INK Supply System(供墨) Main INK tank(主墨桶) Damper(墨囊) Ink Pump(墨泵)	Basic ink supply system(墨盒直供) 1.2L Main INK tank(1.2L容量主墨桶) Negative type Damper(负压墨囊) SPD Ink Pump(赛普达墨泵)
<b>Heating &amp;Drying 加热和烘干</b>	Drying System(干燥) Heating Control Panel(加热控制面板) Heating System(加热) Carriage Plate Heater(小车底板加热)	Colling Fans(冷风干燥) 3 in 1 Heating Control Panel(多合一控制系统) Rear-Printing Bed-Front 3 Heaters(前中后 三加热) None(无)
<b>Packing 包装</b>	Printer Name Plate(铭牌) Printer Size(打印机尺寸)L*W*H Printer Packing (打印机包装) N.W.(净重)/G.W.(毛重) Packingsize(包装尺寸)	Alumimuml Name Plate(铝制CE铭牌) 2585*670*1300 / 2785*670*1300 Wooden Box(免熏蒸木制包装箱) 177KG/240KG 2700*570*650 / 2900*670*650



**Main Feature:**



**Specification**



**Printing Speed**

3PASS	Weak Feather 弱羽化	Normal Feather 中羽化	Strong Feather 强羽化	4PASS	Weak Feather 弱羽化	Normal Feather 中羽化	Strong Feather 强羽化	6PASS	Weak Feather 弱羽化	Normal Feather 中羽化	Strong Feather 强羽化
360X1800	49m <sup>2</sup> /h	46.5m <sup>2</sup> /h	38.5m <sup>2</sup> /h	720X1200	36m <sup>2</sup> /h	34m <sup>2</sup> /h	30m <sup>2</sup> /h	720X1800	25m <sup>2</sup> /h	23m <sup>2</sup> /h	22m <sup>2</sup> /h

Boards& RIP 板卡和软件	Boards(板卡) Password(密码) Rip Software(RIP软件)	●Hoson/BYHX Boards(北京/汉森) Build in Boards & Showing in Software(板卡自带) ●Maintop Rip Software(蒙泰6.1)
Body 机架	Main Girder Structure(主梁支撑) Y-Axis(Y轴) Beam(运动横梁) Linear Guide Way(导轨) Pinch Roller(压轮组件) Printing Bed(打印平台) Suction System(平台吸风) LED lighting (平台LED)	160*60*3mm Square Tube(160*60*3 方管) 20mm Diameter(20毫米主轴) Aluminum Beam(铝合金横梁) THK linear guide way With two Block(THK静音导轨) Hi Precision 3 level Pinch roller(高精度三段式压轮组件) 144mm Wide Printing Bed(144毫米宽打印平台) Adjustable Vacuum Suction System(可调节吸风) Printing Bed Lighting System(平台LED照明)
Carriage 小车	Belt(皮带) Chain(拖链) Cable(主数据线) Power Cable(电源线) Encoder(光栅解码器) Carriage Lifting (升降) Capping(保温) Anti Collision(防撞)	Italy MEGADYNE Belt(意大利麦高迪皮带) Chinese Brand Drag Chain(静音拖链) Fiber or Germany Igus Data Cable(光纤或德国IGUS数据线) Germany Igus Power Cable(德国IGUS电源线) 180DPI(9730) Manual type Carriage Lifting System(手动升降小车) Automatic Capping & Wipping system(全自动吸墨和刮墨系统) Anti Collision System(小车防撞系统)
Motor 电机	X Motor(X轴电机) Y Motor(Y轴电机) XY Motor Bracket(电机支架)	Leadshine 180W DC Servo Motor (雷赛180瓦直流电机) Leadshine 180W DC Servo Motor (雷赛180瓦直流电机) Metal Brackets(金属支架)
F&T 收放料	Paper Sensor(缺纸感应探头) Feeding and Take up(收放料) Leveling Stand(防抖地撑)	Paper Out Warning Sensor(缺纸感应探头) Double Motor (双动力收放料系统) Leveling Stand(防抖地撑)
Ink Supply 供墨	INK Supply System(供墨) Main INK tank(主墨桶) Damper(墨囊) Ink Pump(墨泵)	Bulk ink Supply system(大供墨系统) 1.5L Main INK tank(1.5L容量主墨桶) Negative type Damper(负压墨囊) SPD Ink Pump(赛普达墨泵)
Heating &Drying 加热和烘干	Drying System(干燥) Heating Control Panel(加热控制面板) Heating System(加热) Carriage Plate Heater(小车底板加热)	2000W IR Heater(2000瓦红外干燥系统) 3 in 1 Heating Control Panel(多合一控制系统) Rear-Printing Bed-Front 3 Heaters(前中后三加热) 24V DC Heater(直流24V加热片)
Packing 包装	Printer Name Plate(铭牌) Printer Size(打印机尺寸)L*W*H Printer Packing (打印机包装) N.W.(净重)G.W.(毛重) Packingsize(包装尺寸)	Alumimuml Name Plate (铝制CE铭牌) 2585*670*1300 / 2785*670*1300 Wooden Box (免熏蒸木制包装箱) 200KG/260KG 2700*570*650/2900*670*650



# **Khodiyar Enterprise**

**Office Add : Sumel 7, Near Soni ni Chal, Odhav,  
Ahmedabad, Gujarat, India. 382415**

**Contact Person : Jaymin Patel**

**Mobile : +91 9925007279, +91 9428111642**

**E-mail : [khodiyar.enterprise@hotmail.com](mailto:khodiyar.enterprise@hotmail.com)**

**Website : [www.keprinters.com](http://www.keprinters.com)**