

Khodiyar
Enterprise



Khodiyar Enterprise


Office Add : Sumel 7, Near Soni ni Chal, Odhav,
Ahmedabad, Gujarat, India. 382415

Contact Person : Jaymin Patel

Mobile : +91 9925007279, +91 9428111642

E-mail : khodiyar.enterprise@hotmail.com

Website : www.keprinters.com



Flatbed Printer Series

P30R6




White color separation inking



Ink level display and alarm




Six-zone adsorption platform



HIWIN silent slide

Ricoh Gen6 industrial print head

Equipped with 2-8pcs grey level Ricoh Gen6 industrial printhead, 4-8 colors are optional, printing resolution is 600×2400dpi, ignition frequency is up to 50kHz, which increases the amount of ink per unit time by 80% and reduces the printing time by up to 50%, improve the printing speed. The GEN6 is one head for two color, variable ink drop is 5-15PL, Can achieve smoother and more delicate printing quality.



Automatic height measurement system

Automatically measure the thickness of materials. Precise, time and labor saving.

Negative pressure system

Making the ink supply more smoothly, can avoid the phenomenon of leaking ink and can save ink.

Integrated steel frame structure

The machine as a whole of the integrated tempering steel frame structure, gantry milling machine a high precision processing completed, the support platform precision is high, the machine operation process is always stable.



Specification

Model	P30R6
Print size	3200×2000mm(10.5×6.6ft)
Print head	Ricoh-Gen6 grey level piezo print head
Print resolution	600×2400dpi
Print mode	Unidirectional and bidirectional
Ink color	CMYK, Lc, Lm, W, V(Optional)
Number of heads	2-8 pcs(4-8 colors optional)
Ink type	Eco-friendly UV curing ink (NO VOC)
Material thickness	Up to 130mm(5.1in)
Material type	Rigid and flexible material
Material	Glass, acrylic, wood, ceramic, metal, PVC, corrugated board, plastic etc.
Software	PhotoPrint
Input format	Adobe Postscript Level 3, PDF, JPEG, TIFF, EPS, AI
Power requirement	220V/AC (±10%), 50 / 60 Hz; 5.8KW
Printer weight	2500KG
Printer size	5250mm[L]×2750mm[W]×1500mm[H](17.2ft × 9ft × 4.9ft)
Package size	5550mm[L]×2950mm[W]×1900mm[H](18.2ft × 9.7ft × 6.2ft)
Working environment	Separate, little sunlight, ventilated workshop. Temperature:18° C~30° C (64°F~86°F) Humidity: 30% ~ 70% (Non-condensing) Ventilation equipment: Suggest Overhead exhaust fan, displacement 600 cfm

Samples show

P30R6 UV flatbed inkjet printer can reach best printing results for materials as follows:

Rigid materials: Glass, Ceramic, Metal plate, Wood, Acrylic Panel, KT board, PVC sheet, Melamine sheet, Marble board, etc.

Flexible materials: Paper, Plastic film, Leather, etc.



Sliding door



Ceiling



Ceramic tiles



Khodiyar Enterprise

**Office Add : Sumel 7, Near Soni ni Chal, Odhav,
Ahmedabad, Gujarat, India. 382415**

Contact Person : Jaymin Patel

Mobile : +91 9925007279, +91 9428111642

E-mail : khodiyar.enterprise@hotmail.com

Website : www.keprinters.com